

California Tumor Tissue Registry's
Subscription "C" – Vol. 5(3)
November, 2011

"Dermatopathology"

Case 1:

A 28 year old woman complained of right ankle pruritus in the area of a tattoo. The inflammation was present only in the red areas of the tattoo, not in areas of other pigment.

Dx:

Tattoo granuloma, ankle

Lever Textbook: "Inflammatory reactions to permanent tattoo are observed most commonly with red dyes containing mercuric sulfide such as cinnabar (Chinese red). Dyes lacking mercury, including ferric hydrate (sienna or red ochre), cadmium selenide (cadmium red), and organic dyes may also produce adverse reactions."

Santa Barbara (Miramonte Laboratory) - Lichenoid tattoo reaction
Santa Rosa (Santa Rosa Memorial Hospital) - Lichenoid dermatitis in tattoo (3)
Woodland Hills (Kaiser Permanente) - Spongiotic dermatitis consistent with allergic reaction
Alabama, Birmingham - Psoriasiform and spongiotic dermatosis
Alabama (Norwood Clinic) - Contact dermatitis
Arkansas (The Laboratory of Pathology, P.A.) - Inflammatory tattoo reaction
Georgia, Atlanta - Subacute spongiotic dermatitis
Illinois, Oak Brook - Superficial perivascular dermatitis
Kansas (Coffeyville Regional Medical Center) - Chronic reaction
Kansas (Peterson Laboratory Services) - Tattoo associated spongiotic reaction
Maryland, Baltimore - Lichenoid allergic reaction to tattoo pigment
Michigan (Oakwood Hospital) - Subacute spongiotic dermatitis
New York, Rye Brook - Allergic reaction with parakeratosis
Ohio, Columbus - Skin, right ankle, pigment deposition consistent with tattoo pigment
Texas, Victoria - Lichenoid tattoo reaction
Canada (Pasqua Hospital) - Hypersensitivity reaction to a tattoo
Canada (University of Sherbrooke) - Lichenoid tattoo reaction, skin
Hong Kong (Hong Kong Baptist Hospital) - Subacute spongiotic dermatitis
India, Rochi - Tattoo granuloma of ankle
The Netherlands, Amstelveen - Benign inflammation

Refs:

Cutaneous complications related to permanent decorative tattooing.
Rev Clin Immunol 2010 May;6(3): p363-71
Kluger N

Cutaneous allergic reactions to tattoo ink.
J Cosmet Dermatol 2009 Dec;8(4): p295-300
Kaur RR; Kirby W; Maibach H

Allergic reactions to tattoo pigment after laser treatment.
Dermatol Surg 1995 Apr;21(4): p291-4
Ashinoff R; Levine VJ; Soter NA

[Accumulation of tattoo pigment in sentinel lymph nodes]
Hautarzt 2009 Oct;60(10): p781-3
Kurle S; Schulte KW; Homey B

[Reaction patterns to cutaneous particulate and ornamental tattoos]
Pathologe 2002 Jan;23(1): p46-53
Muller KM; Schmitz I; Hupe-Norenberg L

A morphological study of granulomas induced by subcutaneous injection of leuporelin acetate.
J Cutan Pathol 2009 Dec;36(12): p1299-302
Watanabe T; Yamada N; Yoshida Y; Yamamoto O

Case 2

A 68 year old man with sarcoidosis was treated with prednisone. He developed this papule in the inguinal area.

Dx:

Herpes simplex, inguinal skin

Santa Barbara (Miramonte Laboratory) - Herpes
Santa Rosa (Santa Rosa Memorial Hospital) - Herpes dermatitis (3)
Woodland Hills (Kaiser Permanente) - Herpes infection/eruption, favor varicella zoster virus
Alabama, Birmingham - Herpes simplex virus or varicella virus
Alabama (Norwood Clinic) - Herpes zoster
Arkansas (The Laboratory of Pathology, P.A.) - Herpes simplex
Georgia, Atlanta - Herpes
Illinois, Oak Brook - Herpes simplex
Kansas (Coffeyville Regional Medical Center) - Herpes infection
Kansas (Peterson Laboratory Services) - HSV/ZVZ infection
Maryland, Baltimore - Herpes simplex
Michigan (Oakwood Hospital) - Herpetic erosion
New York, Rye Brook - Herpes simplex infection
Ohio, Columbus - Skin, inguinal, herpes viral changes
Texas, Victoria - Herpes simplex
Canada (Pasqua Hospital) - Herpes infection
Canada (University of Sherbrooke) - Herpetic ulcer, skin
Hong Kong (Hong Kong Baptist Hospital) - Herpes viral infection
India, Roohi - Herpes simplex of inguinal skin
The Netherlands, Amstelveen - Herpes simplex

Refs:

Comparison between turnaround time and cost of herpes simplex virus testing by cell culture and polymerase chain reaction from genital swabs.
Int J STD AIDS 2010 Apr;21(4): p298-9
Saeed K; Pelosi E

Prevention of and screening for herpes simplex infection: a survey of Quebec physicians.
J Obstet Gynaecol Can 2010 Feb;32(2): p126-31
Paquet C; Steben M

[Herpes simplex virus and cytomegalovirus in male ejaculate: herpes simplex virus is more frequently encountered in idiopathic infertility and correlates with the reduction in sperm parameters]
Vopr Virusol (Russia 2010 Jan-Feb;55(1): p27-31
Klimova RR; Chichev EV; Naumenko VA; Gadzhieva ZS; Tsibisov AS; Adieva AA; L'vov DK; Kurilo LF; Shileiko LV; Ostroumova TV; Sorokina TM; Gavrilov Iu A; Levchuk TN; Iakovenko SA; Vasil'eva SG; Voznesenskaia Iu V; Simonenko EIu; Kushch AA; Sukhikh GT

Genital herpes simplex virus type 1 in women: detection in cervicovaginal specimens from gynecological practices in the United States.

J Clin Microbiol 2010 Jan;48(1): p150-3
Pena KC; Adelson ME; Mordechai E; Blaho JA

Herpes simplex virus infections in solid organ transplant recipients.

Am J Transplant 2009 Dec;9 Suppl 4:S104-7
Zuckerman R; Wald A

An epidemiologic study of herpes simplex virus type 1 and 2 infection in Japan based on type-specific serological assays.
Epidemiol Infect 1998 Mar;120(2): p179-86
Hashido M; Lee FK; Nahmias AJ; Tsugami H; Isomura S; Nagata Y; Sonoda S; Kawana T

Maternal and neonatal herpes simplex virus infections.
N Engl J Med 2009 Oct 1;361(14): p1376-85
Corey L; Wald A

Identification of a herpes simplex labialis susceptibility region on human chromosome 21.

J Infect Dis 2008 Feb 1;197(3): p340-6
Hobbs MR; Jones BB; Otterud BE; Leppert M; Kriesel JD

Case 3

A 54 y/o man had multiple previous surgical procedures in the left deltoid area. This is skin from that area.

Dx:

Keloid, deltoid region

Santa Barbara (Miramonte Laboratory) - Keloid
Santa Rosa (Santa Rosa Memorial Hospital) - Keloid (3)
Woodland Hills (Kaiser Permanente) - Keloid
Alabama, Birmingham - Keloid
Alabama (Norwood Clinic) - Keloid/hypertrophic scar
Arkansas (The Laboratory of Pathology, P.A.) - Keloid
Georgia, Atlanta - Keloidal scar
Illinois, Oak Brook - Keloid
Kansas (Coffeyville Regional Medical Center) - Keloid

Kansas (Peterson Laboratory Services) - Keloid
Maryland, Baltimore - Keloid
Michigan (Oakwood Hospital) - Keloid
New York, Rye Brook - Keloid
Ohio, Columbus - Skin, left deltoid, scar/keloid
Texas, Victoria - Keloid
Canada (Pasqua Hospital) - Keloid
Canada (University of Sherbrooke) - Keloid scar, skin
Hong Kong (Hong Kong Baptist Hospital) - Keloid
India, Rochoi - Keloid of deltoid area
The Netherlands, Amstelveen - Keloid

Refs:

Is radiation therapy for keloids acceptable? The risk of radiation-induced carcinogenesis.

Plast Reconstr Surg 2009 Oct;124(4): p1196-201

Ogawa R; Yoshitatsu S; Yoshida K; Miyashita T

Role of vascular endothelial growth factor in keloids: a clinicopathologic study.

Int J Dermatol 2009 Oct;48(10): p1071-7

Salem A; Assaf M; Helmy A; Nofal A; Ibrahim S; Eldeeb F; Youssef C

Genetic susceptibility to raised dermal scarring.

Br J Dermatol 2009 Jul;161(1): p8-18

Brown JJ; Bayat A

Should excised keloid scars be sent for routine histologic analysis?

Ann Plast Surg 2008 Jun;60(6): p724

Wong TW; Lee JY

Current progress in keloid research and treatment.

J Am Coll Surg 2008 Apr;206(4): p731-41

Butler PD; Longaker MT; Yang GP

Keloids and hypertrophic scars: are they two different sides of the same coin?

Dermatol Surg 2008 Mar;34(3): p336-46

Kose O; Waseem A

Keloidal and other collagen patterns in atypical fibroxanthomas.

Am J Dermatopathol 2010 Jun;32(4): p326-32

Offman S; Pasternak S; Walsh N

Case 4

A 65 y/o woman, gravida 2, para2, 15 years s/p menopause had vaginal intermittent vaginal bleeding. She had a history of breast cancer 26 years prior. Liver biopsy 2 years prior showed metastatic disease. An exam showed a 2 cm nodule on the right side of the vulva.

Dx:

Hidradenoma papilliferum, vulva

Santa Barbara (Miramonte Laboratory) - Carcinoma metastatic to hidradenoma papilliferum
Santa Rosa (Santa Rosa Memorial Hospital) - Hidradenoma papilliferum (3)
Woodland Hills (Kaiser Permanente) - Heterotopic breast tissue with proliferative fibrocystic changes
Alabama, Birmingham - Hidradenoma papilliferum
Alabama (Norwood Clinic) - Heterotopic breast tissue
Arkansas (The Laboratory of Pathology, P.A.) - Hidradenoma papilliferum
Georgia, Atlanta - Hidradenoma papilliferum
Illinois, Oak Brook - Hidradenoma papilliferum
Kansas (Coffeyville Regional Medical Center) - Adenocarcinoma
Kansas (Peterson Laboratory Services) - Hidradenoma papilliferum
Maryland, Baltimore - Hidradenoma papilliferum
Michigan (Oakwood Hospital) - Hidradenoma papilliferum
New York, Rye Brook - Hidradenoma papilliferum
Ohio, Columbus - Skin, right vulva, hidradenoma papilliferum
Texas, Victoria - Hidradenoma papilliferum
Canada (Pasqua Hospital) - Hidradenoma papilliferum
Canada (University of Sherbrooke) - Hidradenoma papilliferum, vulva
Hong Kong (Hong Kong Baptist Hospital) - Apocrine adenoma
India, Roohi - Hidradenoma papilliferum of vulva
The Netherlands, Amstelveen - Hidradenoma papilliferum

Refs:

An uncommon perianal nodule: hidradenoma papilliferum.
 Gastroenterol Clin Biol 2007 Feb;31(2): p166-8
 Daniel F; Mahmoudi A; de Parades V; Flejou JF; Atienza P

Solitary nodule over the labia majora. Hidradenoma papilliferum.
 Indian J Dermatol Venereol Leprol 2009 May-Jun;75(3): p327-8
 Veeranna S

Human papillomavirus in lesions of anogenital mammary-like glands.
 Int J Gynecol Pathol 2007 Oct;26(4): p475-80
 Kazakov DV; Nemcova J; Mikyskova I; Belousova IE; Vazmitel M; Michal M

Mitotic count is not predictive of clinical behavior in hidradenoma papilliferum of the vulva: a clinicopathologic study of 19 cases.
 Am J Dermatopathol 2006 Aug;28(4): p322-6
 Sington J; Chandrapala R; Manek S; Hollowood K

Hidradenoma papilliferum with oxyphilic metaplasia: a clinicopathological study of 18 cases, including detection of human papillomavirus.
 Am J Dermatopathol 2005 Apr;27(2): p102-10
 Kazakov DV; Mikyskova I; Kutzner H; Simpson RH; Hes O; Mukensnabl P; Bouda J; Zamecnik M; Kinkor Z; Michal M

Mammary-like gland adenoma of the vulva: review of 46 cases.
 Pathology 2009;41(4): p372-8
 Scurry J; van der Putte SC; Pyman J; Chetty N; Szabo R

Hidradenoma papilliferum with a ductal carcinoma in situ component: case report and review of the literature.

Am J Dermatopathol 2008 Aug;30(4): p392-4
Vazmitel M; Spagnolo DV; Nemcova J; Michal M; Kazakov DV

Case 5

A 34 y/o woman had nodules on the arms & trunk

Dx:

Cutaneous Leiomyomata, arms and trunk

Refs:

Cutaneous smooth muscle neoplasms: clinical features, histologic findings, and treatment options.

J Am Acad Dermatol 2002 Apr;46(4): p477-90; quiz, 491-4

Holst VA; Junkins-Hopkins JM; Elenitsas R

Clinical and molecular genetic aspects of hereditary multiple cutaneous leiomyomatosis.

Eur J Dermatol 2009 Nov-Dec;19(6): p545-51

Badeloe S; Frank J

A case of cutaneous symplastic leiomyoma - a rare variant of cutaneous pilar leiomyoma.

J Cutan Pathol 2008 Mar;35(3): p329-31

Usmani N; Merchant W; Yung A

Clinical features of multiple cutaneous and uterine leiomyomatosis: an underdiagnosed tumor syndrome.

Arch Dermatol 2005 Feb;141(2): p199-206

Alam NA; Barclay E; Rowan AJ; Tyrer JP; Calonje E; Manek S; Kelsell D; Leigh I; Olpin S; Tomlinson IP

Cutaneous leiomyomas (piloleiomyomas) in adult patients with human immunodeficiency virus infection.

Br J Dermatol 2000 Dec;143(6): p1338-40

Kanitakis J; Carbonnel E; Chouvet B; Labeille B; Claudy A

Case 6

This is a 6 month old male with multiple waxing and waning scalp nodules that are periosteal without bone or skin involvement. The biopsy is from the chest.

Dx:

Deep granuloma granulare (GA), chest

Santa Barbara (Miramonte Laboratory) - Eosinophilic granuloma

Santa Rosa (Santa Rosa Memorial Hospital) - Langerhans histiocytosis (3)

Woodland Hills (Kaiser Permanente) - Necrotizing eosinophilic granulomatosis

Alabama, Birmingham - Granuloma annulare

Alabama (Norwood Clinic) - Bacillary angiomatosis

Arkansas (The Laboratory of Pathology, P.A.) - Benign cephalic histiocytosis

Georgia, Atlanta - Calciphylaxis
Illinois, Oak Brook - Granuloma annulare
Kansas (Coffeyville Regional Medical Center) - Eosinophilic granuloma
Kansas (Peterson Laboratory Services) - Subcutaneous granuloma annulare
Maryland, Baltimore - Granuloma annulare
Michigan (Oakwood Hospital) - Systemic mastocytosis
New York, Rye Brook - Granuloma annulare
Ohio, Columbus - Skin, chest, granulomatous inflammation with necrosis, eosinophils
Texas, Victoria - Granulomatous inflammation
Canada (Pasqua Hospital) - Langerhan's cell histiocytosis
Canada (University of Sherbrooke) - Multiple necrotizing granulomas, chest wall
Hong Kong (Hong Kong Baptist Hospital) - Langerhans cell histiocytosis
India, Rochi - Deep granuloma annulare of chest
The Netherlands, Amstelveen - Granuloma annulare

Refs:

Subcutaneous granuloma annulare.
Semin Cutan Med Surg 2007 Jun;26(2): p96-9
Requena L; Fernandez-Figueras MT

The spectrum of primary cutaneous elastolytic granulomas and their distinction from granuloma annulare: a clinicopathological analysis.
Histopathology 2004 Mar;44(3): p277-82
Limas C

Subcutaneous granuloma annulare in childhood: clinicopathologic features in 34 cases.
Pediatrics 2001 Mar;107(3): pE42
Grogg KL; Nascimento AG

Palisaded neutrophilic and granulomatous dermatitis: an unusual cutaneous manifestation of immune-mediated disorders.
Semin Arthritis Rheum 2004 Dec;34(3): p610-6
Bremner R; Simpson E; White CR; Morrison L; Deodhar A

Pustular generalized perforating granuloma annulare.
Br J Dermatol 2003 Oct;149(4): p866-8
Gamo Villegas R; Sopena Barona J; Guerra Tapia A; Vergara Sanchez A; Rodriguez Peralto JL; Iglesias Diez L

Granuloma annulare masquerading as molluscum contagiosum-like eruption in an HIV-positive African woman.
J Am Acad Dermatol 2003 Aug;49(2 Suppl Case Reports): pS184-6
Kapembwa MS; Goolamali SK; Price A; Boyle S

Necrobiotic xanthogranuloma: a review of 17 cases with emphasis on clinical and pathologic correlation.
Arch Dermatol 2009 Mar;145(3): p279-84
Wood AJ; Wagner MV; Abbott JJ; Gibson LE

Case 7

A 37 y/o man had a 2.3 x 2.3 cm papule on his right shin that measured 0.8 cm in height.

A 2.0 x 2.0 cm shave biopsy was taken. CD34: Diffusely positive stroma within the tumor

Dx:

Pleomorphic fibroma, shin

Santa Barbara (Miramonte Laboratory) - Hemangiopericytoma
Santa Rosa (Santa Rosa Memorial Hospital) - Sclerotic fibroma (3)
Woodland Hills (Kaiser Permanente) - Solitary fibrous tumor of the skin
Alabama, Birmingham - Solitary fibrous tumor
Alabama (Norwood Clinic) - Solitary fibrous tumor
Arkansas (The Laboratory of Pathology, P.A.) - Pleomorphic fibroma
Georgia, Atlanta - Solitary fibrous tumor
Illinois, Oak Brook - Atypical dermatofibroma
Kansas (Coffeyville Regional Medical Center) - Myxedema
Kansas (Peterson Laboratory Services) - Storiform collagenoma
Maryland, Baltimore - Sclerosing fibroma
Michigan (Oakwood Hospital) - Dermatofibrosarcoma protuberans
New York, Rye Brook - Fibroma
Ohio, Columbus - Skin, right shin, pleomorphic fibroma
Texas, Victoria - Spindle cell hemangioma
Canada (Pasqua Hospital) - Sclerotic fibroma
Canada (University of Sherbrooke) - Sclerotic fibroma, skin
Hong Kong (Hong Kong Baptist Hospital) - Gardner's fibroma
India, Rochi - Pleomorphic fibroma
The Netherlands, Amstelveen - Fibroma

Refs:

Pathologic quiz case: a 38-year-old woman with a flesh-colored forehead nodule. Pleomorphic fibroma.
Arch Pathol Lab Med 2005 Jan;129(1): pe21-2
Manucha V; Andrews CW

Pleomorphic sclerotic fibroma: a case report and literature review.
Am J Dermatopathol 2002 Feb;24(1): p54-8
Chen TM; Purohit SK; Wang AR

Subungual pleomorphic fibroma.
J Cutan Pathol 2003 Oct;30(9): p569-71
Hsieh YJ; Lin YC; Wu YH; Su HY; Billings SD; Hood AF

Dermal fibroma with a distinctive perivascular cell arrangement.
Am J Dermatopathol 2008 Dec;30(6): p638-40
Tardio JC

Solitary sclerotic fibroma of skin: a possible link with pleomorphic fibroma with immunophenotypic expression for O13 (CD99) and CD34.
J Cutan Pathol 2003 Nov;30(10): p631-6
Mahmood MN; Salama ME; Chaffins M; Ormsby AH; Ma CK; Linden MD; Lee MW

Case 8

This nodule was found on the neck of an 18 y/o young woman as a well circumscribed solitary tan papule.

Dx:

Spitz Nevus

Santa Barbara (Miramonte Laboratory) - Melanoma
Santa Rosa (Santa Rosa Memorial Hospital) - Spitz nevus (3)
Woodland Hills (Kaiser Permanente) - Spitz nevus
Alabama, Birmingham - Spitz nevus
Alabama (Norwood Clinic) - Spitz nevus
Arkansas (The Laboratory of Pathology, P.A.) - Spitz nevus
Georgia, Atlanta - Epithelioid cell histiocytoma
Illinois, Oak Brook - Spitz nevus
Kansas (Coffeyville Regional Medical Center) - Spitz nevus
Kansas (Peterson Laboratory Services) - Spitz nevus
Maryland, Baltimore - Spitz nevus
Michigan (Oakwood Hospital) - Spitz nevus
New York, Rye Brook - Spitz nevus
Ohio, Columbus - Skin, neck, nevus
Texas, Victoria - Compound nevus
Canada (Pasqua Hospital) - Pigmented epithelioid melanocytoma
Canada (University of Sherbrooke) - Spitz nevus, skin
Hong Kong (Hong Kong Baptist Hospital) - Epithelioid blue nevus
India, Roohi - Spitz nevus
The Netherlands, Amstelveen - Spitz nevus

Refs:

Classic and atypical Spitz nevi: review of the literature.
Cutis 2007 Feb;79(2): p141-6
Sulit DJ; Guardiano RA; Krivda S

Spitz nevus is relatively frequent in adults: a clinico-pathologic study of 247 cases related to patient's age.
Am J Dermatopathol 2005 Dec;27(6): p469-75
Cesinaro AM; Foroni M; Sighinolfi P; Migaldi M; Trentini GP

The spectrum of Spitz nevi: a clinicopathologic study of 83 cases.
Arch Dermatol 2005 Nov;141(11): p1381-7
Ferrara G; Argenziano G; Soyer HP; Chimenti S; Di Blasi A; Pellacani G; Peris K; Piccolo D; Rubegni P; Seidenari S; Staibano S; Zalaudek I; De Rosa G

Congenital spitz nevus.
Dermatol Surg 2000 Oct;26(10): p931-5
Harris MN; Hurwitz RM; Buckel LJ; Gray HR

Consumption of the epidermis: a diagnostic criterion for the differential diagnosis of melanoma and Spitz nevus.
Am J Surg Pathol 2004 Dec;28(12): p1621-5
Hantschke M; Bastian BC; Le Boit PE

Use of Bayes rule and MIB-1 proliferation index to discriminate Spitz nevus from malignant melanoma.

Case 9

An 87 y/o man had plaques on his skin. This is from the left thigh.

Dx:

Mycosis fungoides, thigh

Santa Barbara (Miramonte Laboratory) - Lymphoma
Santa Rosa (Santa Rosa Memorial Hospital) - Mycosis fungoides (3)
Woodland Hills (Kaiser Permanente) - Leukemia cutis
Alabama, Birmingham - Cutaneous lymphoma
Alabama (Norwood Clinic) - Cutaneous lymphoma
Arkansas (The Laboratory of Pathology, P.A.) - Mycosis fungoides
Georgia, Atlanta - Mycosis fungoides
Illinois, Oak Brook - Mycosis fungoides
Kansas (Coffeyville Regional Medical Center) - Mycosis fungoides
Kansas (Peterson Laboratory Services) - Mycosis fungoides
Maryland, Baltimore - Mycosis fungoides
Michigan (Oakwood Hospital) - Cutaneous T-cell lymphoma
New York, Rye Brook - Mycosis fungoides, tumor stage
Ohio, Columbus - Skin, left thigh, dense dermal lymphoid infiltrate
Texas, Victoria - Severe lichenoid dermatitis
Canada (Pasqua Hospital) - Lymphoma
Canada (University of Sherbrooke) - T-cell lymphoma, skin
Hong Kong (Hong Kong Baptist Hospital) - Mycosis fungoides, tumorous stage
India, Rochi - Mycosis fungoides of thigh
The Netherlands, Amstelveen - Mycosis fungoides

Refs:

Mycosis fungoides presenting as a pustular eruption.
J Am Acad Dermatol 2009 Nov;61(5): p908-9
Pabsch H; Kunze J; Schaller J

How I treat mycosis fungoides and Sezary syndrome.
Blood 2009 Nov 12;114(20): p4337-53
Prince HM; Whittaker S; Hoppe RT

Review of contemporaneous mycosis fungoides and B-cell malignancy at Mayo Clinic.
J Am Acad Dermatol 2009 Aug;61(2): p271-5
Herro E; Dicaudo DJ; Davis MD; Weaver AL; Swanson DL

CD4+, CD56+ mycosis fungoides: case report and review of the literature.
Am J Dermatopathol 2009 Feb;31(1): p74-6
Horst BA; Kasper R; Le Boit PE

Mycosis fungoides: what do/do not we know?
J Cutan Pathol 2008 Nov;35 Suppl 2:35-9
Smoller BR

Prognostic markers in mycosis fungoides.
Anal Quant Cytol Histol 2008 Aug;30(4): p187-9
Goteri G; Rupoli S; Pulini S; Tassetti A; Leoni P

Case 10

A 20 y/o woman had a rapidly growing right face mass which the surgeon claimed was a tumor, likely malignant.

Dx:

Nodular fasciitis, face

Santa Barbara (Miramonte Laboratory) - Nodular fasciitis
Santa Rosa (Santa Rosa Memorial Hospital) - Nodular fasciitis (3)
Woodland Hills (Kaiser Permanente) - Nodular fasciitis
Alabama, Birmingham - Nodular fasciitis
Alabama (Norwood Clinic) - Undifferentiated malignant neoplasm
Arkansas (The Laboratory of Pathology, P.A.) - Nodular fasciitis
Georgia, Atlanta - Nodular fasciitis
Illinois, Oak Brook - Nodular fasciitis
Kansas (Coffeyville Regional Medical Center) - Spindle cell tumor
Kansas (Peterson Laboratory Services) - Nodular fasciitis
Maryland, Baltimore - Nodular fasciitis
Michigan (Oakwood Hospital) - Nodular fasciitis
New York, Rye Brook - Nodular fasciitis
Ohio, Columbus - Skin, right face, nodular fasciitis
Texas, Victoria - Dermal histiocytic lesion
Canada (University of Sherbrooke) - Myxoid MFH, skin
Hong Kong (Hong Kong Baptist Hospital) - Nodular fasciitis
India, Roohi - Nodular fasciitis of face
The Netherlands, Amstelveen - Nodular fasciitis

Refs:

Pseudosarcomas of soft tissue.
Arch Pathol Lab Med 2008 Apr;132(4): p579-86
Rosenberg AE

Nodular fasciitis in the head and neck: CT and MR imaging findings.
AJNR Am J Neuroradiol 2005 Nov-Dec;26(10): p2617-23
Kim ST; Kim HJ; Park SW; Baek CH; Baek JH; Byun HS; Kim YM

Nodular fasciitis of the head and neck region: a clinicopathologic description in a series of 30 cases.
J Cutan Pathol 2009 Nov;36(11): p1168-73
Weinreb I; Shaw AJ; Perez-Ordóñez B; Goldblum JR; Rubin BP

Dermal nodular fasciitis: three case reports of the head and neck and literature review.
J Cutan Pathol 2006 May;33(5): p378-82
Nishi SP; Brey NV; Sanchez RL

Nodular fasciitis of the maxillofacial region in a pediatric patient.

J Otolaryngol Head Neck Surg 2008 Dec;37(6): pE188-90

Muska EA; Bartal N; Laster Z; Nagler RM

